

• **Endura**<sup>®</sup>  
fungicide

## Supplemental Labeling

FOR DISTRIBUTION AND USE ONLY IN MONTANA

EPA Reg. No. 7969-197

EPA SLN No. MT-08-0002

FOR USE IN ALFALFA GROWN FOR SEED PRODUCTION

For use only on fields of alfalfa grown for seed in Big Horn, Carbon, Custer, Dawson, Prairie, Richland, Phillips, Rosebud, Stillwater, Treasure, and Yellowstone counties, Montana.

Follow all applicable directions, restrictions and precautions on the EPA-registered label for Endura<sup>®</sup> fungicide, EPA Reg. No. 7969-197. This labeling must be in the possession of the user at the time of application.

### Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation. Refer to the **Endura** main label for precautionary statements, first aid and personal protective equipment requirements. This supplemental label must be in the user's possession during application.

### General Information

**Endura** provides optimum disease control when applied preventatively (prior to infection). Refer to the **Endura** main label for general resistance management information and to the **Crop Specific Use Directions** table and restrictions found in this label.

### Precautionary Statements Endangered Species Concerns

The use of any pesticide in a manner that may kill or otherwise harm an endangered species or adversely modify their habitat is violation of federal law. This pesticide is toxic to fish and aquatic invertebrates and must be used strictly in accordance with drift precautions on this label in order to minimize off-site exposures. **DO NOT** apply when weather conditions favor drift from treated areas to aquatic habitats. Notify State and/or Federal authorities and BASF immediately if you observe any adverse environmental effects due to use of this product.

To determine whether your county has endangered aquatic species, consult the County Bulletins at <http://www.epa.gov/espp/usa-map.htm>.

Endangered Species Bulletins may also be obtained from extension offices or state pesticide agencies. If a bulletin is not available for your specific area, check with the appropriate local state agency to determine if known populations of endangered aquatic species occur in the area to be treated.

## Application Information

Apply **Endura**® fungicide according to the rate, timing, resistance management and other recommendations in the **Crop Specific Use Directions** table in this label.

**Endura** may be applied by ground sprayer, aerial equipment or through sprinkler irrigation systems. Refer to the **Endura** main label for specific instructions on these methods.

## Restrictions and Limitations

**Endura** is not for use in greenhouse or transport production systems.

Follow the restrictions and limitations outlined in the **Crop Specific Use Directions** table in this label.

**DO NOT** feed or graze alfalfa following **Endura** application.

**DO NOT** cut treated alfalfa for hay or forage.

**DO NOT** use harvested seed for sprouting.

Processed seed must be labeled “Not for human or animal consumption” at the processing plant. All alfalfa seed screenings must be disposed of in such a way that they cannot be distributed or used for food or feed.

## Information on Droplet Size

The most effective way to reduce drift potential is to apply large droplets. Use the largest droplet size consistent with acceptable efficacy. Applying larger droplets reduces drift potential.

## Controlling Droplet Size

- **Volume** - Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.
- **Pressure** - **DO NOT** exceed the nozzle manufacturer’s recommended pressures. For many nozzle types, lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.
- **Number of Nozzles** - Use the minimum number of nozzles that provide uniform coverage.
- **Nozzle Type** - Use a nozzle type that is designed for the intended application. With most nozzle types, narrower spray angles produce larger droplets. Consider using low-drift nozzles. Solid stream nozzles oriented straight back produce the largest droplets and the lowest drift.

## Endura Crop-Specific Use Directions

Crop	Target Diseases	Use Rate per Application (oz per acre)	Maximum Number of Applications per Season	Maximum Rate per Season (oz per acre)	Minimum Time from Application to Harvest (PHI)
Alfalfa (grown only for seed)	Spring black stem ( <i>Phoma medicaginis</i> )	6 to 11	2	22	0 days
	White mold ( <i>Sclerotinia sclerotiorum</i> )	8 to 11			
<p><b>Application Directions:</b> Begin <b>Endura</b> applications at 10-30% flowering or when conditions are favorable for disease, but prior to onset of disease development.</p> <p>Using higher rates may improve disease control performance as the crop canopy volumes and densities increase. Disease control can also be improved when application equipment and spray volumes are adjusted to achieve thorough canopy penetration and coverage.</p> <p>Repeat application on a 7-14 day interval if conditions are conducive for disease development. Use the higher rate and shorter interval when disease pressure is high.</p> <p>Under some conditions, the use of additives or adjuvants may improve the performance of <b>Endura</b>.</p> <p><b>Resistance Management:</b> To limit the potential for development of resistance, <b>DO NOT</b> make more than two (2) applications of <b>Endura</b> per season.</p>					

## CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1107

Refer to main **Endura**<sup>®</sup> fungicide label for further **Conditions of Sale and Warranty**.

© 2008 BASF Corporation  
All rights reserved

Endura is a registered trademark of BASF  
007969-00197.20080306b.NVA 2008-04-201-0083

**24(c) Registrant:**  
BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709

  
The Chemical Company